

90 cm 6-burner electric double oven Master Series



MAS96L2EXT2

The double-oven range cooker give great versatility and style to your kitchen. The main oven electric oven has 11 functions, from convection, baking and grilling to warming and feature a thermometer on control panel.

The useful auxiliary oven has four modes. Triple-glass doors minimise heat loss.

The hob has six versatile gas burners in brass including a dual-ring power burner giving anything from a delicate low simmer to full power.

Matching range hood and backsplash available.

Colours shown will vary depending on your screen settings and resolution. Contact your dealer for further advice.

[Guarda online](#)

Specifications

Features

Worktop

Size	90 cm
Cooking zones	6
Number of gas zones	6
Worktop type	gas
Worktop design	stainless steel squared
Worktop controls	knobs
Knobs	black soft touch
Burners type and caps	brass
Pan supports	cast iron
Continuous grating	yes
Flame failure device	yes
Ignition	yes
Upstand	yes
Wok adapter	yes
Simmer ring	yes

Cooking zones

Dual wok	0.48 kW - 5 kW (2)
Rapid	1.05 kW - 3 kW (1)
Semi-rapid	0.60 kW - 1.75 kW (3)

Oven cavity

Oven configuration	double
Oven fuel	electric
Oven levels	4
Main oven type	electric multifunction
Main oven grill type	electric
Main oven functions	bake / bottom bake / convection / convection bake / convection grill / defrosting / fast preheat / grill / oven light / pizza / upper bake
Main oven volume	69 l

Main oven energy rating	A
Auxiliary oven type	electric multifunction
Auxiliary oven grill type	electric
Auxiliary oven functions	bake / bottom bake / grill / oven light / turnspit / upper bake
Auxiliary oven volume	38 l
Auxiliary oven energy rating	A+
Secondary oven net volume	38 l
Oven controls	knobs
Inner oven door	triple
Removable inner glass	yes
Timer	-
Oven door closing	anti-slam system
Air fryer	yes
Sliding shelves	2 standard
Wire-shelves	3 chromed
Tray	2 enamelled + 1 air fry
Grill trivet for tray	yes
Oven lights	single
Bottom	
Storage compartment	flap
Legs	stainless steel
Technical specifications	
Voltage and frequency	220/240 V - 50/60 Hz - 17.90 A
Absorbed power (W)	4100 W

Dimensions

