

## 60 cm XXL Built-in Panel Ready Dishwasher with Sliding Door Master Series



### DW60T3IBPSC

This Bertazzoni 60 cm XXL fully integrated dishwasher is large enough for up to 16 place settings on three racks. Touch controls with LED display let you access 9 programmes from Eco to Self-cleaning, with 6 functions.

It's insulated to keep noise levels at a low 43db. Automatic door opening at the end of the washing cycle speeds up the drying process.

This dishwasher model is equipped with a dual pump system that features a brushless inverter motor and a turbidity sensor. Together, they optimize energy efficiency and deliver exceptional cleaning performance, ensuring spotless results every time.

It features a full and spacious XXL stainless steel tub, ensuring exceptional durability and resistance to corrosion while improving heat retention for enhanced washing and drying efficiency. It offers extra interior space to accommodate larger items like pots, pans, and oversized dishes. The increased capacity is perfect for families, minimizing the need for multiple wash cycles while maintaining outstanding cleaning performance.

This model is equipped with six fixing points, including two on each side and two on the top, ensuring a stable and precise installation. It also features a Side Projection Status Light that discreetly updates the wash cycle status with a sideways beam, avoiding any interference with the kitchen plinth.

It is B energy rated.



# Specifications

## Features


### General features

Size	60 cm
Place setting	16
Sound level maximum speed (dbA)	43 dbA
User interface	LED display
Spray arms	3
Number of racks	3
Wash cycles	9 (90min, auto, eco, hygiene, quick 30min, rinse, self clean, silence, glass)
Functions	6 (extra dry, delay start, auto open door cancellation, half load, extra clean, extra fast)
Lighting	4 LED lights
Automatic door opening	yes
Certification	CB, CE

### Technical specifications

Absorbed current (A)	10 A
Energy class	B
Voltage and frequency	220-240V/50Hz
Absorbed power (W)	1828-2158 W

# Dimensions



\* Including a 20 (13/16") thick kitchen cabinet front panel. A minimum space of 3 (1/8") is required between the plinth and the panel.