


60cm Electric Pyro Built-in Oven, TFT display Modern Series



FMOD6117PTB1

The Bertazzoni Modern Series 60cm built-in electric oven with pyrolytic self-cleaning has a 76 litre capacity best-in-class cavity. With 11 functions it is ideal for mid-to low- temperature cooking, such as baking or recipes that require slow cooking, like casseroles. The non-convection mode is excellent for baking cakes, while the fan-assisted mode ensures even heat distribution on all five levels for roasting and baking with no flavour crossover. The oven is easily managed with full touch controls in a black glass control panel with a clear TFT display, which offers remarkable flexibility when choosing cooking modes. It also makes managing the food probe and Bertazonni Assistant simple. The soft open-and-close door is safe and easy to use, fitted with a smart glass-finish handle. The door is quadruple-glazed for safety and energy efficiency. Pyrolytic cleaning is based on high-temperature cleaning and sterilising without detergents to leave your oven sparkling clean hygienic.

[Guarda online](#)

Specifications

Features

Oven cavity

Total volume	76 L
Size	60 cm
Oven fuel	electric
Oven type	pyrolytic / electric multifunction
Oven grill type	electric
Cooking modes	bake / Bertazzoni Assistant / bottom bake / clean / convection / convection bake / convection grill / fast preheat / grill / special functions / turbo
Net oven volume	76 L
Oven controls	touch TFT display
Inner oven door	quadruple
Removable inner glass	yes
Cavity finishing	pyrolytic grey enamel
Oven levels	5
Timer	cooking time / end of cooking timer / start at
Auto cooking modes	with Bertazzoni Assistant
Food probe	yes
Door hinges	soft-motion
Sliding shelves	1
Wire-shelves	1 heavy duty flat + 1 heavy duty shaped
Tray	1 enamelled + 1 enamelled deep + 1 trivet
Oven lights	double lateral
Special functions	eco / sabbath / proofing / defrost / keep warm / dehydrate
Cleaning system	pyrolytic clean (with eco function)

Technical specifications

Energy class	A++
Voltage and frequency	220/240 V - 50/60 Hz
Absorbed power (W)	2800W

Dimensions

